

## ON MEASURING NON-RECURSIVE TRADE-OFFS

HERMANN GRUBER, MARKUS HOLZER, MARTIN KUTRIB

*Institut für Informatik, Universität Giessen*

*Arndtstr. 2, 35392 Giessen, Germany*

*e-mail: {gruber,holzer,kutrib}@informatik.uni-giessen.de*

### ABSTRACT

We investigate the phenomenon of non-recursive trade-offs between descriptional systems in an abstract fashion. We aim at categorizing non-recursive trade-offs by bounds on their growth rate, and show how to deduce such bounds in general. We also identify criteria which, in the spirit of abstract language theory, allow us to deduce non-recursive tradeoffs from effective closure properties of language families on the one hand, and differences in the decidability status of basic decision problems on the other. We develop a qualitative classification of non-recursive trade-offs in order to obtain a better understanding of this very fundamental behaviour of descriptional systems.

*Keywords:* Descriptional systems; Non-recursive trade-offs; Level of unsolvability; Arithmetic hierarchy.

### 1. Introduction

In computer science in general, and also in the particular field of descriptional complexity, we try to classify problems and mechanisms according to different aspects of their tractability. Often the first distinction we make in such a classification is to check whether a problem admits an effective solution at all. If so, we usually take a closer look and analyze the inherent complexity of the problem. But undecidable problems can also be compared to each other, using the toolkit provided by computability theory. Here, it turns out that most naturally occurring problems are complete at some level of the arithmetic (or analytic) hierarchy. This has been a rather successful approach to understand the nature of many undecidable problems we encounter in various computational settings. As for decision problems, there are conversion problems between different models that cannot be solved effectively. Indeed, they evade solvability *a fortiori* because the size blow-up caused by such a conversion cannot be bounded above by any recursive function. This phenomenon, nowadays known as *non-recursive trade-off*, was first observed by Meyer and Fischer [20] between nondeterministic pushdown automata and finite automata. Previously, it had been known that every deterministic pushdown automaton accepting a regular language can be converted into an equivalent finite automaton of at most triply-exponential size. In contrast, Meyer and Fischer showed that if we replace “deterministic pushdown automaton” with “nondeterministic pushdown automaton,” then the maximum size

blow-up can no longer be bounded by any recursive function. Since that time there has been a steadily growing list of results where this phenomenon has been observed, for example, [2, 6, 9, 10, 11, 14, 15, 17, 19, 25, 26, 28]. In [16] a survey is given that also presents a few general proof techniques for proving such results. While it seems to be clear that non-recursive trade-offs usually sprout at the wayside of the crossroads of (un)decidability, in many cases proving such trade-offs apparently requires ingenuity and careful automata constructions. While apparently we cannot get rid of this altogether, here we identify general criteria where non-recursive trade-offs can be directly read off, provided certain basic (un)decidability results about the descriptive systems under consideration are known. The present work aims at making the first steps in paralleling the successful development of the abstract theory of languages, and in building a theory with unified proofs of many non-recursive trade-off results appearing in the literature. Besides new proof techniques in this domain, the present work also aims to provide a finer classification of such non-recursive trade-offs, in a similar vein to what has been done in the classification of undecidable problems.

The paper is organized as follows: in the next section we introduce the necessary notation on descriptive systems and computability theory. Then in Section 3 we prove bounds on the trade-off function  $f$  that serves as a least upper bound for the increase in complexity when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$ . Here, it turns out that the complexity of the problem of the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors influences the growth rate of  $f$ . Moreover, in Section 4 we develop easy-to-apply proof schemes that allow one to deduce non-recursive trade-offs by closure properties of language families and differences in the decidability status of basic decision problems. Finally, in Section 5 we consider the question, which functions can serve as lower and upper bounds when changing from one descriptive systems to another one and prove that every reasonable function may appear in the order of magnitude.

## 2. Preliminaries and Definitions

The empty word is denoted by  $\lambda$  and for the length of  $w$  we write  $|w|$ . We use  $\subseteq$  for *inclusions* and  $\subset$  for *strict inclusions*.

We first establish some notation for descriptive complexity. In order to be general, we formalize the intuitive notion of a representation or description of a family of languages. A *descriptive system* is a collection of encodings of items where each item  $D$  *represents* or *describes* a formal language  $L(D)$ . The encodings can be viewed as strings over some alphabet. A natural property of descriptive systems is that their items are finite. In the following, we call the items *descriptors*, and identify the encodings of some language representation with the representation itself. It almost suggested itself that the underlying alphabet  $\text{alph}(D)$  over which  $D$  represents a language can be read off from the descriptor  $D$ .

**Definition 1** *A descriptive system  $\mathcal{S}$  is a set of finite descriptors, such that each descriptor  $D \in \mathcal{S}$  describes a formal language  $L(D)$ , and the underlying alphabet  $\text{alph}(D)$  over which  $D$  represents a language can be read off from  $D$ . The*

family of languages represented (or described) by some descriptional system  $\mathcal{S}$  is  $\mathcal{L}(\mathcal{S}) = \{L(D) \mid D \in \mathcal{S}\}$ . For every language  $L$ , the set of its descriptors in the system  $\mathcal{S}$  is  $\mathcal{S}(L) = \{D \in \mathcal{S} \mid L(D) = L\}$ .

We say that a descriptional system  $\mathcal{S}$  is *recursive* (*recursively enumerable*), if for each descriptor  $D \in \mathcal{S}$  the language  $L(D)$  is recursive (recursively enumerable). Moreover, if there exists an effective procedure to convert  $D$  into a Turing machine that decides (semi-decides)  $L(D)$ , then the descriptional system is said to be *constructively recursive* (*constructively recursively enumerable*).

Now we turn to measure the descriptors. From the viewpoint that a descriptional system is a collection of encoding strings, the length of the strings is a natural measure of size. But in order to obtain a more general framework we consider a *complexity measure* for  $\mathcal{S}$  to be a total, recursive mapping  $c : \mathcal{S} \rightarrow \mathbb{N}$ .

**Definition 2** Let  $\mathcal{S}$  be a descriptional system with complexity measure  $c$ . If there is a total, recursive function  $g : \mathbb{N} \times \mathbb{N} \rightarrow \mathbb{N}$  such that the length of  $D$  is bounded from above by  $g(c(D), |\text{alph}(D)|)$ , for all  $D \in \mathcal{S}$ , then  $c$  is said to be an *s-measure*. Moreover, if additionally for any alphabet  $A$ , the set of descriptors in  $\mathcal{S}$  describing languages over  $A$  is recursively enumerable in order of increasing size, then  $c$  is said to be an *sn-measure*.

There exists an sn-measure for a descriptional system  $\mathcal{S}$  if and only if there is an s-measure and the membership problem  $D \in \mathcal{S}$  is decidable. Whenever we consider the relative succinctness of two descriptional systems  $\mathcal{S}_1$  and  $\mathcal{S}_2$ , we assume the intersection  $\mathcal{L}(\mathcal{S}_1) \cap \mathcal{L}(\mathcal{S}_2)$  to be non-empty.

**Definition 3** Let  $\mathcal{S}_1$  be a descriptional systems with complexity measure  $c_1$ , and  $\mathcal{S}_2$  be descriptional systems with complexity measure  $c_2$ . A total function  $f : \mathbb{N} \rightarrow \mathbb{N}$ , is said to be an *upper bound for the increase in complexity when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$* , if for all  $D_1 \in \mathcal{S}_1$  with  $L(D_1) \in \mathcal{L}(\mathcal{S}_2)$  there exists a  $D_2 \in \mathcal{S}_2(L(D_1))$  such that  $c_2(D_2) \leq f(c_1(D_1))$ .

If there is no recursive upper bound, the trade-off is said to be *non-recursive*. In other words, there are no recursive functions serving as upper bounds. That is, whenever the trade-off from one descriptional system to another is non-recursive, one can choose an arbitrarily large recursive function  $f$  but the gain in economy of description eventually exceeds  $f$  when changing from the former system to the latter.

We are interested in classifying non-recursive trade-offs qualitatively. As it will turn out, the  *$\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors*, that is, the problem given a descriptor  $D_1 \in \mathcal{S}_1$  does the language  $L(D_1)$  belong to  $\mathcal{L}(\mathcal{S}_2)$ , plays a central role in this task. We assume the reader to be familiar with the basics of recursively enumerable sets and degrees as contained in [23]. In particular we consider the *arithmetic hierarchy*, which is defined as follows:

$$\begin{aligned} \Sigma_1 &= \{L \mid L \text{ is recursively enumerable}\}, \\ \Sigma_{n+1} &= \{L \mid L \text{ is recursively enumerable in some } P \in \Sigma_n\}, \end{aligned}$$

for  $n \geq 1$ . Here, a language  $L$  is said to be recursively enumerable in some  $P$  if there is a Turing machine with oracle  $P$  that semi-decides  $L$ . Let  $\Pi_n$  be the complement of  $\Sigma_n$ , that is,  $\Pi_n = \{L \mid \bar{L} \text{ is in } \Sigma_n\}$ . Moreover, let  $\Delta_n = \Sigma_n \cap \Pi_n$ , for  $n \geq 1$ . Observe that  $\Delta_1 = \Sigma_1 \cap \Pi_1$  is the class of all recursive sets. Completeness and hardness are always meant with respect to many-one reducibilities  $\leq_m$ , if not otherwise stated. Let  $K$  denote the *halting set*, that is, the set of all encodings of Turing machines that accept their own encoding. For any set  $P$  define  $P' = K^P$  to be the *jump* or *completion* of  $P$ , where  $K^P$  is the  *$P$ -relativized halting set*, which is the set of all encodings of Turing machines with oracle  $P$  that accept their own encoding, and define  $P^{(0)} = P$  and  $P^{(n+1)} = (P^{(n)})'$ , for  $n \geq 0$ . By Post's Theorem we have that  $\emptyset^{(n)}$  is  $\Sigma_n$ -complete ( $\overline{\emptyset^{(n)}}$  is  $\Pi_n$ -complete) with respect to many-one reducibility, for  $n \geq 1$ , where  $\emptyset^{(n)}$  is the  $n$ -th jump of  $\emptyset$ . Moreover, note that (1)  $L \in \Sigma_{n+1}$  if and only if  $L$  is recursively enumerable in  $\emptyset^{(n)}$  and (2)  $L \in \Delta_{n+1}$  if and only if  $L$  is recursive in, or equivalently *Turing reducible* to, the jump  $\emptyset^{(n)}$ . In this case we simply write  $L \leq_T \emptyset^{(n)}$ , where  $\leq_T$  refers to Turing reducibility. In the following we also use the above introduced framework on Turing machines and reductions in order to compute (partial) functions.

A more revealing characterization of the arithmetic hierarchy can be given in terms of alternation of quantifiers. More precisely, a language  $L$  is in  $\Sigma_n$ , for  $n \geq 1$ , if and only if there exists a *decidable*  $(n+1)$ -ary predicate  $R$  such that

$$L = \{w \mid \exists y_1 \forall y_2 \exists y_3 \cdots Q y_n : R(w, y_1, y_2, \dots, y_n)\},$$

where  $Q$  equals  $\exists$  if  $n$  is odd, and  $Q$  equals  $\forall$  if  $n$  is even. The characterization for languages in  $\Pi_n$ , for  $n \geq 1$  is similar, by starting with a universal quantification and ending with an  $\forall$  quantifier, if  $n$  is odd, and an  $\exists$  quantifier, if  $n$  is even.

### 3. Bounds for Non-Recursive Trade-Offs

In this section we classify non-recursive trade-offs by given upper and lower bounds. It will turn out, that whenever a non-recursive trade-off between descriptive systems  $\mathcal{S}_1$  and  $\mathcal{S}_2$  exists, its (upper) bound is induced by the property of verifying the  $\mathcal{S}_2$ -ness of an  $\mathcal{S}_1$  descriptor, that is, the problem of determining, whether for a given descriptor  $D \in \mathcal{S}_1$  the language  $L(D)$  belongs to  $\mathcal{L}(\mathcal{S}_2)$ . In order to make this more precise we need the following theorem.

**Theorem 4** *Let  $\mathcal{S}_1$  and  $\mathcal{S}_2$  be two descriptive systems. The problem of determining for a given descriptor  $D_1 \in \mathcal{S}_1$  whether the language  $L(D_1)$  belongs to  $\mathcal{L}(\mathcal{S}_2)$ , that is, the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors, can be solved in  $\Sigma_3$ , if both  $\mathcal{S}_1$  and  $\mathcal{S}_2$  are constructively recursively enumerable. When both systems are constructively recursive, the problem can be solved in  $\Sigma_2$ .*

*Proof.* The problem to determine whether for a given descriptor  $D_1 \in \mathcal{S}_1$  the language  $L(D_1)$  belongs to  $\mathcal{L}(\mathcal{S}_2)$  is equivalent to

$$\exists D_2 \in \mathcal{S}_2 \forall w \in A^* : w \in L(D_1) \iff w \in L(D_2),$$

where  $A = \text{alph}(D_1) = \text{alph}(D_2)$  is the input alphabet of the devices under consideration. If both  $\mathcal{S}_1$  and  $\mathcal{S}_2$  are constructively recursive, the logical formula  $w \in L(D_1) \iff w \in L(D_2)$  is already a decidable 3-ary predicate, since one can convert both descriptors  $D_1$  and  $D_2$  into Turing machines that decide the languages  $L(D_1)$  and  $L(D_2)$ , respectively. Hence, the problem can be solved in  $\Sigma_2$ .

If at least one descriptional system is not constructively recursive (but constructively recursively enumerable), we argue as follows: We rewrite the above characterization of the problem by

$$\exists D_2 \in \mathcal{S}_2 \forall w \in A^* : [w \in L(D_1) \implies w \in L(D_2)] \wedge [w \in L(D_2) \implies w \in L(D_1)],$$

and replace the implications equivalently by

$$\exists D_2 \in \mathcal{S}_2 \forall w \in A^* : [w \notin L(D_1) \vee w \in L(D_2)] \wedge [w \notin L(D_2) \vee w \in L(D_1)].$$

Then observe that  $w \in L(D_1)$  ( $w \notin L(D_1)$ , respectively) can be verified if there is a time bound  $t$  (for every time bound  $t$ , respectively) such that the word  $w$  is accepted (is not accepted, respectively) by  $M_1$  in at most  $t$  steps. Here  $M_1$  is the equivalent Turing machine effectively constructed from  $D_1$ . A similar statement holds for  $w \in L(D_2)$  and  $w \notin L(D_2)$ . Moving these quantifiers to the front by the Kuratowski-Tarski algorithm [23] results in a  $\Sigma_3$  characterization using a 4-ary decidable predicate for the problem in question. Thus, the problem can be solved in  $\Sigma_3$ .  $\square$

A closer look at the previous proof reveals that equivalence between descriptors from  $\mathcal{S}_1$  and  $\mathcal{S}_2$  can be solved in  $\Pi_1$  if *both* descriptional systems are constructively recursive. This equivalence problem belongs to the class  $\Pi_2$  if both systems are constructively recursively enumerable. Thus, the upper bound on the equivalence problem is one less in the level of unsolvability than the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors.

Next we deduce an upper bound on the trade-off between two descriptional systems.

**Theorem 5** *Let  $\mathcal{S}_1$  and  $\mathcal{S}_2$  be two descriptional systems,  $c_1$  be an sn-measure for  $\mathcal{S}_1$  and  $c_2$  be a measure for  $\mathcal{S}_2$ . If both  $\mathcal{S}_1$  and  $\mathcal{S}_2$  are constructively recursively enumerable, then there is a total function  $f : \mathbb{N} \rightarrow \mathbb{N}$  that serves as an upper bound for the increase in complexity when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$ , satisfying  $f \leq_T \emptyset'''$ . When both systems are constructively recursive, the function  $f$  can be chosen to satisfy  $f \leq_T \emptyset''$ .*

*Proof.* We only prove the statement for the case where both descriptional systems are constructively recursive; the proof in case where both systems are constructively recursively enumerable follows along similar lines. In what follows we describe a Turing machine with  $\emptyset''$  oracle that computes a total function  $f$  that may serve as an upper bound for the increase in complexity when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$ .

Let  $n \in \mathbb{N}$  be given. First determine the finite set  $c_1^{-1}(n)$  of  $\mathcal{S}_1$ -descriptors, which can be effectively computed since  $c_1$  is an sn-measure, that is, the set of descriptors in  $\mathcal{S}_1$  is recursively enumerable in order of increasing size. Then for each  $D_1 \in c_1^{-1}(n)$  we proceed as follows: If  $L(D_1)$  is in  $\mathcal{L}(\mathcal{S}_2)$ , then we determine a  $D_2 \in \mathcal{S}_2$  with  $L(D_2) = L(D_1)$  and store  $c_2(D_2)$  in a list. By the previous theorem and the fact

that  $\emptyset^{(n)}$  is  $\Sigma_n$ -complete ( $\overline{\emptyset^{(n)}}$  is  $\Pi_n$ -complete) the question whether  $L(D_1) \in \mathcal{L}(\mathcal{S}_2)$  can be answered by an  $\emptyset''$  oracle. In case the answer is yes, we recursively enumerate the descriptors in  $\mathcal{S}_2$  until we find one descriptor that is equivalent to  $L(D_1)$ . Here the equivalence between descriptors from  $\mathcal{S}_1$  and  $\mathcal{S}_2$  is checked by a query to an  $\emptyset'$  oracle, which is one less in jump as the one used to verify the condition  $L(D_1) \in \mathcal{L}(\mathcal{S}_2)$ —see the remark after the previous theorem on the equivalence problem. This enumeration procedure terminates since we already know that  $L(D_1) \in \mathcal{L}(\mathcal{S}_2)$ .

Finally, we also store the input value  $n$  in the list, and compute the maximum of all list elements, which can effectively be done since the list has only finitely many entries. This value is assigned to  $f(n)$ . By construction, the function  $f$  is total and serves as an upper bound for the increase in complexity when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$ . Moreover, since the described algorithm always terminates, we have shown that the function  $f$  is recursive in  $\emptyset''$ —our Turing machine asks queries to an  $\emptyset''$  and  $\emptyset'$  oracle, but since the set  $\emptyset'$  is strictly less in the levels of unsolvability one can simulate these queries by appropriate  $\emptyset''$  questions. This shows the stated claim.  $\square$

What about lower bounds on the trade-off function  $f$ ? In fact, we show that there is a relation between the function  $f$  and the equivalence problem between  $\mathcal{S}_1$  and  $\mathcal{S}_2$  descriptors, in the sense that, whenever the former problem becomes easy, the latter is easy too.

**Theorem 6** *Let  $\mathcal{S}_1$  and  $\mathcal{S}_2$  be two descriptive systems,  $c_1$  be a measure for  $\mathcal{S}_1$ ,  $c_2$  be an sn-measure for  $\mathcal{S}_2$ , and  $f : \mathbb{N} \rightarrow \mathbb{N}$  be a total function that serves as an upper bound for the increase in complexity when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$ . Then we have:*

1. *If both  $\mathcal{S}_1$  and  $\mathcal{S}_2$  are constructively recursively enumerable and  $f \leq_T \emptyset''$ , then the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors is recursive in  $\emptyset''$ .*
2. *If both descriptive systems are constructively recursive and  $f \leq_T \emptyset'$ , then the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors is recursive in  $\emptyset'$ .*

*Proof.* We only prove the statement for the case where both descriptive systems are constructively recursive; the proof in case where both systems are constructively recursively enumerable follows along similar lines. We construct a Turing machine with  $\emptyset'$  oracle that decides the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors.

Let  $D_1$  from the descriptive system  $\mathcal{S}_1$  be given. Since the total function  $f$  is an upper bound for the increase in complexity when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$  we first compute  $m = f(c_1(D_1))$ . For this purpose queries to an  $\emptyset'$  oracle are needed. In fact, the Turing machine that realizes the Turing reduction from function  $f$  to  $\emptyset'$  is used as a sub-routine here. Since the first condition defining sn-measures guarantees that the set  $\{c_2^{-1}(k) \mid k \leq m\}$  of  $\mathcal{S}_2$ -descriptors is finite, the set can be determined by a Turing machine in a finite number of steps. Then for each of these descriptors we check by asking an  $\emptyset'$  oracle whether they are equivalent to  $D_1$ —note that equivalence for  $\mathcal{S}_1$  and  $\mathcal{S}_2$  descriptors can be verified in  $\Pi_1$  and hence by questions to an  $\emptyset'$  oracle. If at least one equivalent  $\mathcal{S}_2$ -descriptor is

found the Turing machine halts and accepts; otherwise the machine halts and rejects. This shows that the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors is recursive in  $\emptyset'$ , since the constructed Turing machine always halts.  $\square$

Now we are ready to show that only *two* types of non-recursive trade-offs within the recursively enumerable languages exist! First consider the context-free grammars and the right-linear context-free grammars (or equivalently finite automata) as descriptive systems, where their length, that is, the number of symbols of their encoding, is used as natural complexity measure. Clearly, this measure is an sn-measure. Thus, we want to consider the trade-off between context-free languages and regular languages. In [20] it was shown that this trade-off is non-recursive. By Theorem 5, one can choose the upper bound function  $f$  such that  $f \leq_T \emptyset''$ . On the other hand, if  $f \leq_T \emptyset'$ , then by Theorem 6 we deduce that checking regularity for context-free grammars is recursive in  $\emptyset'$  and hence belongs to  $\Delta_2$ . This is a contradiction, because in [4] this problem is classified to be  $\Sigma_2$ -complete. So, we obtain a non-recursive trade-off somewhere in between  $\emptyset''$  and  $\emptyset'$ , that is,  $f \leq_T \emptyset''$  but  $f \not\leq_T \emptyset'$ .

In order to obtain higher growth rates on the upper bound function  $f$ , we have to go beyond context-free languages. When considering the trade-off between the descriptive system of Turing machines and finite automata we are led to the following situation where, again, we measure the descriptive complexity by their lengths. Since one of the descriptive systems is not recursive but constructively recursively enumerable, the function  $f$  can be chosen to satisfy  $f \leq_T \emptyset'''$  by Theorem 5, but  $f$  cannot be simpler than  $\emptyset''$  with respect to Turing reducibility since otherwise regularity for recursively enumerable languages would belong to  $\Delta_3$ , which contradicts the  $\Sigma_3$ -completeness of this problem [4]. So, we obtain a non-recursive trade-off somewhere in between  $\emptyset'''$  and  $\emptyset''$ , that is,  $f \leq_T \emptyset'''$  but  $f \not\leq_T \emptyset''$ .

Our previous considerations can be summarized in a proof scheme for non-recursive trade-offs. The statement reads as follows.

**Theorem 7** *Let  $\mathcal{S}_1$  and  $\mathcal{S}_2$  be two descriptive systems,  $c_1$  be a measure for  $\mathcal{S}_1$ , and  $c_2$  be an sn-measure for  $\mathcal{S}_2$ . Then the trade-off between  $\mathcal{S}_1$  and  $\mathcal{S}_2$  is non-recursive, if one of the following two cases applies:*

1. *If both  $\mathcal{S}_1$  and  $\mathcal{S}_2$  are constructively recursively enumerable and the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors is at least  $\Sigma_3$ -hard, or*
2. *if both descriptive systems are constructively recursive and the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors is at least  $\Sigma_2$ -hard.*

*Here hardness is meant with respect to many-one reducibility.*

*Proof.* We only prove the case when both descriptive systems are constructively recursive. The other case follows by similar arguments. Assume to the contrary that the trade-off between  $\mathcal{S}_1$  and  $\mathcal{S}_2$  is recursive. Then there is a recursive, total function  $f$  which serves as an upper bound for the increase in complexity when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in the descriptive system  $\mathcal{S}_2$ . Because  $f$  is a total recursive function we can mimic the proof of Theorem 6 which shows that in our setting the  $\mathcal{S}_2$ -ness of  $\mathcal{S}_1$  descriptors is recursive in  $\emptyset'$ . Thus, it belongs to  $\Delta_2$ ,

which contradicts our prerequisites, which states that this problem is  $\Sigma_2$ -hard. Thus function  $f$  is non-recursive.  $\square$

Finally, it is worth mentioning that the presented approach to measure non-recursive trade-offs nicely generalizes to higher degrees of unsolvability than constructively recursiveness and constructively recursively enumerability leading to non-recursive trade-offs of arbitrary growth rate. To this end, one needs to have the effective conversion of descriptors to Turing machines with oracles in order to cope with language classes of the arithmetic hierarchy in general. Then the proofs of Theorems 5 and 6 obviously generalize to this setting as well. The tedious details are left to the interested reader.

#### 4. Proof Schemes for Non-Recursive Trade-Offs

This section is devoted to the question of how to prove non-recursive trade-offs. Roughly speaking, most of the proofs appearing in the literature are basically relying on one of two different schemes—see, e.g., [16]. One of these techniques is due to Hartmanis [9], which he subsequently generalized in [10]. Next we present two rather abstract methods for proving non-recursive trade-offs. In contrast to previous schemes, here we only use properties that are known from the literature for many descriptional systems: these concern the decidability of basic decision problems on the one hand, and closure properties familiar from the study of abstract families of languages on the other hand.

To this end, we define effective closure of descriptional systems under language operations. We illustrate the definition by example of language union: Let  $\mathcal{S}$  be a descriptional system. We say  $\mathcal{S}$  is *effectively closed under union*, if there is an effective construction that, given some pair of descriptors  $D_1$  and  $D_2$  from  $\mathcal{S}$ , yields a descriptor from  $\mathcal{S}$  for  $L(D_1) \cup L(D_2)$ . Effective closure under other language operations is defined in a similar vein. The system  $\mathcal{S}$  is effectively closed under intersection with regular sets, if there is an effective procedure that, given a descriptor  $D$  from  $\mathcal{S}$  and a regular language  $R$ , constructs a descriptor from  $\mathcal{S}$  describing the set  $L(D) \cap R$ . A descriptional system is called an *effective trio* [13], if it is effectively closed under  $\lambda$ -free morphism, inverse morphism, and intersection with regular languages. If it is also effectively closed under general morphism, we speak of an *effective full trio*. Every trio is also effectively closed under concatenation with regular sets.

The proofs that follow are based on *Higman-Haines sets* of languages. These are the closures of a language  $L$  under the scattered subword and superword relations. More formally, let  $\leq$  denote the partial order on words given by the scattered subword relation, that is,  $v \leq w$  if and only if  $v = v_1v_2 \dots v_k$  and  $w = w_1v_1w_2v_2 \dots w_kv_kw_{k+1}$ , for some integer  $k$ , where  $v_i$  and  $w_j$  are in  $A^*$ , for  $1 \leq i \leq k$  and  $1 \leq j \leq k+1$ . Then for a language  $L \subseteq A^*$ , the set  $\text{DOWN}(L)$  is defined as  $\{x \mid \exists y \in L : y \leq x\}$ , and the set  $\text{UP}(L)$  as  $\{x \mid \exists y \in L : x \leq y\}$ . What makes these sets extremely useful are the two facts that the Higman-Haines sets of *any* given set of words are regular [8, 12], and that the closure properties enjoyed by full trios imply closure under taking Higman-Haines sets:

**Lemma 8** *Let  $\mathcal{S}$  be an effective trio. Then  $\mathcal{S}$  is effectively closed under the operation UP. Furthermore, if  $\mathcal{S}$  is an effective full trio, then  $\mathcal{S}$  is also effectively closed under the operation DOWN.*

*Proof.* It is well known that trios are closed under substitution with  $\lambda$ -free regular sets, and that full trios are closed under substitution with regular sets (see, for example, [13]). Observe that the proof immediately leads to an effective construction. For any set  $L \subseteq A^*$ , we obtain  $\text{UP}(L)$  via the  $\lambda$ -free regular substitution given by  $a \mapsto A^*aA^*$  for each  $a \in A$ , and we obtain the set  $\text{DOWN}(L)$  via the substitution given by  $a \mapsto \{\lambda, a\}$ , for each  $a \in A$ .  $\square$

The proof of the next theorem is based on the operation DOWN.

**Theorem 9** *Let  $\mathcal{S}_1$  and  $\mathcal{S}_2$  be two descriptive systems that are effective full trios,  $\mathcal{S}_1$  be constructively recursively enumerable,  $c_1$  be a measure for  $\mathcal{S}_1$ , and  $c_2$  be an sn-measure for  $\mathcal{S}_2$ . If*

1. *the infiniteness problem for  $\mathcal{S}_1$  is not semi-decidable and*
2. *the infiniteness problem for  $\mathcal{S}_2$  is decidable,*

*then the trade-off between  $\mathcal{S}_1$  and  $\mathcal{S}_2$  is non-recursive.*

Before we prove this theorem observe that the full trio conditions imply that  $\mathcal{L}(\mathcal{S}_1) \cap \mathcal{L}(\mathcal{S}_2) \supseteq \text{REG}$  (see, for example, [13]). Here REG denotes the family of all regular languages.

*Proof.* Assume to the contrary that the trade-off between  $\mathcal{S}_1$  and  $\mathcal{S}_2$  is bounded by some recursive function  $f$ . Then we argue as follows: Let  $D \in \mathcal{S}_1$ . Since  $\mathcal{S}_1$  is an effective full trio, by Lemma 8 one can effectively construct a  $D' \in \mathcal{S}_1$  satisfying  $L(D') = \text{DOWN}(L(D))$ . Since  $L(D')$  is regular and  $\mathcal{S}_2$  contains all regular sets, our assumption implies that there is an equivalent descriptor in  $\mathcal{S}_2$  of size at most  $f(c_1(D'))$ .

With the help of the conditions imposed on  $\mathcal{S}_2$ , we can determine the set  $F$  of all descriptors in  $\mathcal{S}_2$  of size at most  $f(c_1(D'))$  that describe only finite languages. Note in particular that this set  $F$  of descriptors is finite. Furthermore, we can determine the length  $k$  of the longest word contained in any of the languages denoted by descriptors in  $F$  as follows: By effective closure under concatenation with regular sets, and under intersection with regular sets, we simply search for the largest  $k$  such that the language

$$a^* \cdot (L(D_i) \cap \{w \in A^* \mid |w| \geq k\}),$$

which is in  $\mathcal{L}(\mathcal{S}_2)$ , is still infinite. Here  $a$  is an arbitrary alphabet symbol.

Now we make use of the observation from [7] that  $L(D)$  is finite if and only if  $L(D') = \text{DOWN}(L(D))$  is finite; and infiniteness of the latter can be proved by finding a word in  $L(D')$  that is larger than  $k$ . We construct a Turing machine accepting  $L(D')$  from  $D'$ , and we simulate the Turing machine on all inputs of length at least  $k$  by dove-tailing. If  $L(D)$  is infinite, eventually one of these simulations will accept, and

this semi-decides infiniteness. But this contradicts our assumption, because by Condition (1) the family of descriptors  $\mathcal{S}_1$  has a non-semi-decidable infiniteness problem.  $\square$

Notice that the above conditions in particular imply that the emptiness problem for  $\mathcal{S}_2$  is decidable. A similar proof works if we drop the requirement on  $\mathcal{S}_2$  being a full trio and impose instead the following slightly weaker conditions, which are more bulky to state: first, that it describes all regular sets, second that it is effectively closed under intersection with regular sets, third it is effectively closed under concatenation with regular sets, and fourth that emptiness is decidable for  $\mathcal{S}_2$ .

Next we list some applications. Indexed grammars, which appear in the statement of the next theorem, were introduced in [1], and ETOL systems were studied, for example, in [24].

**Theorem 10** *For any applicable  $s$ -measures, the following trade-offs are non-recursive:*

1. *between Turing machines and finite automata,*
2. *between Turing machines and (linear) context-free grammars,*
3. *between Turing machines and ETOL systems, and*
4. *between Turing machines and (linear) context-free indexed grammars.*

*Proof.* It is well known that the finite automata, the context-free grammars, and the Turing machines each form an effective full trio [13]. Also the indexed grammars as well as ETOL systems form an (effective) full trio, as proved in [1] and [24], by means of effective constructions. That the infiniteness problem for Turing machines is not semi-decidable is folklore, while infiniteness for the other language families under consideration is decidable—see the aforementioned references.  $\square$

The proof of our next theorem is based on the operation UP. Here we need not require that the effective trios are full, but now both must have decidable word problems.

**Theorem 11** *Let  $\mathcal{S}_1$  and  $\mathcal{S}_2$  be two descriptive systems that are effective trios,  $\mathcal{S}_1$  be constructively recursively enumerable,  $c_1$  be a measure for  $\mathcal{S}_1$ , and  $c_2$  be an  $sn$ -measure for  $\mathcal{S}_2$ . If*

1.  *$\mathcal{S}_1$  has a decidable word problem but an undecidable emptiness problem, and*
2.  *$\mathcal{S}_2$  has a decidable emptiness problem,*

*then the trade-off between  $\mathcal{S}_1$  and  $\mathcal{S}_2$  is non-recursive.*

Observe, that the trio conditions imply that the intersection of  $\mathcal{L}(\mathcal{S}_1)$  and  $\mathcal{L}(\mathcal{S}_2)$  contains all  $\lambda$ -free regular sets (cf. [13]).

*Proof.* Assume to the contrary that the trade-off between  $\mathcal{S}_1$  and  $\mathcal{S}_2$  is bounded by some recursive function  $f$ . Then we argue as follows: Let  $D \in \mathcal{S}_1$ . By Lemma 8 one

can effectively construct a  $D' \in \mathcal{S}_1$  satisfying  $L(D') = \text{UP}(L(D)) \cap A^+$ . Since  $L(D')$  is  $\lambda$ -free regular and  $\mathcal{S}_2$  contains all  $\lambda$ -free regular sets, our assumption implies that  $L(D')$  has a descriptor in  $\mathcal{S}_2$  of size at most  $f(c_1(D'))$ .

We can determine the set  $N$  of all descriptors in  $\mathcal{S}_2$  of size at most  $f(c_1(D'))$  that describe only non-empty languages, since  $c_2$  is an sn-measure and emptiness is decidable for  $\mathcal{S}_2$ . Since  $N$  is finite, we can write  $N$  as  $\{N_1, N_2, \dots, N_n\}$ . Then for each  $i$  with  $1 \leq i \leq n$  determine the lexicographically first non-empty word  $w_i$  accepted by  $N_i$ . Since  $\mathcal{S}_2$  has a decidable emptiness problem, and it is an effective trio, the word problem for  $\mathcal{S}_2$  is also decidable. So, this task can be accomplished by enumerating all words in increasing order and deciding the word problem for each word and each remaining descriptor.

Now we make use of the observation from [7] that  $L(D)$  is empty if and only if  $L(D') = \text{UP}(L(D))$  is empty; and the latter can be tested as follows:  $L(D')$  is non-empty if and only if at least one of the words  $w_i$  is in  $L(D')$ . Finally, we simulate the original descriptor  $D'$  on all  $w_i$ 's by a terminating Turing machine, for  $1 \leq i \leq n$ . If at least one of these words is accepted, then  $L(D)$  is non-empty, otherwise  $L(D)$  is empty. Thus, emptiness is decidable for  $\mathcal{S}_1$ , a contradiction.  $\square$

Finally, we list a few applications. Growing context-sensitive grammars, which appear in the statement of the next theorem, were studied, for example, in [3, 5]. Observe that context-sensitive grammars form an effective trio, and the decidability status of the emptiness problem of these language families can be found in the previously mentioned references. We skip the straight-forward proof of the next theorem.

**Theorem 12** *For any applicable s-measures, the following trade-offs are non-recursive:*

1. *between growing context-sensitive grammars and finite automata,*
2. *between growing context-sensitive grammars and (linear) context-free grammars,*
3. *between growing context-sensitive grammars and ETOL systems,*
4. *between growing context-sensitive grammars and indexed grammars,*
5. *between context-sensitive grammars and finite automata,*
6. *between context-sensitive grammars and ETOL systems,*
7. *between context-sensitive grammars and (linear) context-free grammars, and*
8. *between context-sensitive grammars and indexed grammars.*  $\square$

## 5. Recursive Trade-Offs Revisited

Finally, let us return to recursive trade-offs in more detail. One of the best known recursive trade-offs is between nondeterministic and deterministic finite automata. When the number of states is used as size measure the trade-off is bounded from above by  $2^n$  and this bound is known to be tight [20, 21, 22]. Thus, it is also a lower bound. In fact, the number of states is an sn-measure, since the underlying

alphabet can be read off the descriptor and, thus, the automata can be enumerated in order of increasing size. Another example of descriptional systems, which induce an even higher bound is that of deterministic pushdown automata whose complexity is measured by the length of their encodings, and deterministic finite automata whose size is measured by their number of states. In [20, 27] a  $2^{2^{n^{1/O(1)}}}$  lower bound and a  $2^{2^{n^{O(1)}}}$  upper bound has been shown. Here it is an open question whether one of these bounds can be improved in order to obtain matching bounds.

Now the natural question arises, which functions can serve as lower and upper bounds when changing from one descriptional systems to another one. We give a very general answer in what follows, namely every reasonable function may appear in the order of magnitude. First we consider the lower bound—a similar statement was already shown in [18, 20] in a more restricted setting.

**Theorem 13** *Let  $f : \mathbb{N} \rightarrow \mathbb{N}$  be any total recursive function. Then there exist two descriptional systems  $\mathcal{S}_1$  and  $\mathcal{S}_2$  and two sn-measures  $c_1$  and  $c_2$  such that  $\Omega(f)$  may serve as a lower bound in the order of magnitude when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$ .*

*Proof.* We construct two descriptional systems  $\mathcal{S}_1$  and  $\mathcal{S}_2$  as follows. Let  $M_f$  be a Turing machine that transforms each input  $1^n\$$ , for  $n \geq 1$ , into the word  $1^n\$1^{f(n)}$ . Since  $f$  is recursive such a machine exists. Next, we define the descriptional system  $\mathcal{S}_1$  to consist of all Turing machines  $M_n$ , for  $n \geq 1$ , that behave as follows. First machine  $M_n$  uses  $n + 4$  states to check whether the input is of the form  $1^n\$1^*$ . Then it positions its head back onto the first input symbol, and simulates  $M_f$  on a second track. Finally, it verifies whether the second block of 1 of the original input is equal in length to  $f(n)$ . If the answer is yes, then  $M_n$  accepts, otherwise it rejects. Altogether, Turing machine  $M_n$  can be constructed such that it has  $\Theta(n)$  states and the length of its encoding is  $\Theta(n)$ . Obviously, for every  $n$ , the Turing machine  $M_n$  accepts the finite language  $\{1^n\$1^{f(n)}\}$ .

The second descriptional systems consists of all deterministic finite automata. By easy means one can verify that any deterministic finite automaton accepting the aforementioned language needs at least  $f(n) + n + 2$  states and, thus, the lengths of its encoding is  $\Omega(f(n) + n)$ . So, taking as  $c_1$  and  $c_2$  the length of encodings the stated claim follows.  $\square$

A closer look reveals that the above proof shows that  $O(f(n) + n)$  is an upper bound in the order of magnitude, when changing from  $\mathcal{S}_1$  to  $\mathcal{S}_2$  descriptions. Thus, this induces tight bounds in the order of magnitude if  $f$  is at least linear.

**Theorem 14** *Let  $f : \mathbb{N} \rightarrow \mathbb{N}$  be any total recursive function such that  $f \in \Omega(n)$ . Then there exist two descriptional systems  $\mathcal{S}_1$  and  $\mathcal{S}_2$  and two sn-measures  $c_1$  and  $c_2$  such that  $\Theta(f)$  may serve as a tight bound in the order of magnitude when changing from a descriptor in  $\mathcal{S}_1$  to an equivalent descriptor in  $\mathcal{S}_2$ .*  $\square$

## References

- [1] A. V. AHO, Indexed grammars—an extension of context-free grammars. *J. ACM* **15** (1968), 647–671.
- [2] I. BORCHARDT, *Nonrecursive tradeoffs between context-free grammars with different constant ambiguity*. Diploma thesis, Universität Frankfurt, 1992 (in German).
- [3] G. BUNTROCK, K. LORYŚ, On growing context-sensitive languages. In: *International Colloquium on Automata, Languages and Programming (ICALP 1992)*. Number 623 in LNCS, Springer, 1992, 77–88.
- [4] D. F. CUDIA, The degree hierarchy of undecidable problems of formal grammars. In: *Symposium on Theory of Computing (STOC 1970)*. ACM Press, 1970, 10–21.
- [5] E. DAHLHAUS, M. K. WARMUTH, Membership for growing context-sensitive grammars is polynomial. *J. Comput. System Sci.* **33** (1986), 456–472.
- [6] J. GOLDSTINE, M. KAPPES, C. M. R. KINTALA, H. LEUNG, A. MALCHER, D. WOTSCHKE, Descriptive complexity of machines with limited resources. *J. UCS* **8** (2002), 193–234.
- [7] H. GRUBER, M. HOLZER, M. KUTRIB, The size of Higman-Haines Sets. *Theoret. Comput. Sci.* **387** (2007), 167–176.
- [8] L. H. HAINES, On free monoids partially ordered by embedding. *J. Combinatorial Theory* **6** (1969), 94–98.
- [9] J. HARTMANIS, On the succinctness of different representations of languages. *SIAM J. Comput.* **9** (1980), 114–120.
- [10] J. HARTMANIS, On Gödel speed-up and succinctness of language representations. *Theoret. Comput. Sci.* **26** (1983), 335–342.
- [11] C. HERZOG, Pushdown automata with bounded nondeterminism and bounded ambiguity. *Theoret. Comput. Sci.* **181** (1997), 141–157.
- [12] G. HIGMAN, Ordering by divisibility in abstract algebras. *Proc. London Math. Soc.* **3** (1952), 326–336.
- [13] J. E. HOPCROFT, J. D. ULLMAN, *Introduction to Automata Theory, Language, and Computation*. Addison-Wesley, 1979.
- [14] C. A. KAPOUTSIS, From  $k+1$  to  $k$  heads the descriptive trade-off is non-recursive. In: *Descriptive Complexity of Formal Systems (DCFS 2004)*. 2004, 213–224.
- [15] M. KUTRIB, On the descriptive power of heads, counters, and pebbles. *Theoret. Comput. Sci.* **330** (2005), 311–324.
- [16] M. KUTRIB, The phenomenon of non-recursive trade-offs. *Int. J. Found. Comput. Sci.* **16** (2005), 957–973.
- [17] A. MALCHER, Descriptive complexity of cellular automata and decidability questions. *J. Autom., Lang. Comb.* **7** (2002), 549–560.

- [18] A. MALCHER, *Beschreibungskomplexität von Zellularautomaten*. Doctoral thesis, Institut für Informatik, Johann Wolfgang Goethe-Universität Frankfurt am Main, 2004.
- [19] A. MALCHER, On the desriptional complexity of iterative arrays. *IEICE Trans. Inf. Syst.* **E87-D** (2004), 721–725.
- [20] A. R. MEYER, M. J. FISCHER, Economy of description by automata, grammars, and formal systems. In: *Symposium on Switching and Automata Theory (SWAT 1971)*. IEEE, 1971, 188–191.
- [21] F. R. MOORE, On the bounds for state-set size in the proofs of equivalence between deterministic, nondeterministic, and two-way finite automata. *IEEE Trans. Comput.* **20** (1971), 1211–1214.
- [22] M. O. RABIN, D. SCOTT, Finite automata and their decision problems. In: *Sequential Machines - Selected Papers*. Addison-Wesley, 1964, 63–91.
- [23] H. ROGERS, *Theory of Recursive Functions and Effective Computability*. McGraw-Hill, 1967.
- [24] G. ROZENBERG, A. SALOMAA, *The Mathematical Theory of L Systems*. Pure and Applied Mathematics 90, Academic Press, 1980.
- [25] E. M. SCHMIDT, T. G. SZYMANSKI, Succinctness of descriptions of unambiguous context-free languages. *SIAM J. Comput.* **6** (1977), 547–553.
- [26] B. SUNCKEL, On the desriptional complexity of metalinear CD grammar systems. In: *Desriptional Complexity of Formal Systems (DCFS 2004)*. 2004, 260–273.
- [27] L. G. VALIANT, Regularity and related problems for deterministic pushdown automata. *J. ACM* **22** (1975), 1–10.
- [28] L. G. VALIANT, A note on the succinctness of descriptions of deterministic languages. *Inform. Control* **32** (1976), 139–145.